

Accessories Ordering Information









index accessories education tables storage & files seating systems desking









		Veneer Center Drawer Model 90250	Veneer Keyboard Model 90150	Laminate Center Drawers ©	Laminate Vertical Paper Manager (Model LVPM1) ©	Laminate Keyboard Platform Models 4022/E4022 ©	Metal Center Drawers ©	Corner Sleeve ©	Metal Keyboard Platform ©
VENEERS		CODES							
WOODGRAIN	Bourbon Cherry	H	•	•					
	Columbian Walnut	Z	•	•					
	Henna Cherry	J	•	•					
	Mahogany	N	•	•					
	Medium Oak	M	•	•					
	Natural Maple	D	•	•					
	Shaker Cherry	F	•	•					
LAMINATES		CODES							
CORE	Bourbon Cherry	H		•	•	•			
	Columbian Walnut	Z		•	•	•			
	Henna Cherry	J		•	•	•			
	Mahogany	N		•	•	•			
	Shaker Cherry	F		•	•	•			
WOOD GRAIN	Medium Oak	M		•	•	•			
	Natural Maple	D		•	•	•			
SOLID	Black	P		•	•	•			
	Charcoal	S		•	•	•			
	Light Gray	Q				•			
	Parchment	K2				•			
	Whitestone	K4				•			
PATTERNED	Canyon Zephyr NEW!	K9				•			
	Cloud Zephyr NEW!	K7				•			
	Desert Zephyr NEW!	K8				•			
	Morro Zephyr NEW!	L9				•			
	Shadow Zephyr NEW!	K1				•			
	Graphite	G3				•			
	Gray	G2				•			
	Grey Tigris	L6				•			
	White	G1				•			
PAINTS		CODES							
CORE	Black	P					•	•	•
	Carob NEW!	T8					•	•	•
	Charcoal	S					•	•	•
	Greige NEW!	T5					•	•	•
	Light Gray	Q					•	•	•
	Muslin	T3					•	•	•
	Putty	L					•	•	•
	Taupe	E					•	•	•
CHOICE/ METALLICS	Tan D D	V					•	•	•
	Champagne Metallic NEW!	T4					•	•	•
	Platinum Metallic NEW!	T1					•	•	•

See page 13 for laminates that are still available through January 3, 2009.

© Core Product Line
D D Discontinued 12/26/2009.

- ▶ HON "One Key" interchangeable core removable locks are standard on most HON products. Look for the HON "One Key" icon.
- ▶ Keyed alike cores are listed below.
- ▶ If key number is not specified number will be at random.
- ▶ For keyed alike locks:
 - Order standard product which will be shipped with factory installed locks and random numbered cores.
 - Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
 - Simply replace the factory installed cores with the replacement cores after product has been installed.
- ▶ To install new core:
 - Lock must be in the unlocked position.
 - Insert core removal key and pull core straight out.
 - Insert new core with core removable key, hold core into lock and withdraw core removal key.
 - Retain original core for future use.
- ▶ To provide normal lead times, key numbers cannot be specified on HON products at time of order. This also eliminates need for tagging and tracking each product's lock number during installation.
- ▶ Chrome removable lock core kit used on metal casegoods.

Description	Model	Ship Weight	Cube	List
  <p>Chrome Removable Lock Core Kit (for metal casegoods) Specify quantity of each key number from 101E-225E. Includes: 1-core, 2-keys, 1-core removal tool, adapter and instructions. NOTE: If key number isn't specified, number will be at random. Core matches manufactured lock on metal casegoods product but can be used with veneer and laminate product.</p>	F23C	0.1 	0.1	\$ 23
<i>GSA — Above model receives Vertical, Lateral & Shelf Filing discounting.</i>				
  <p>Black Removable Lock Core Kit (for veneer and laminate products) Specify quantity of each key number from 101E-225E. Includes: 1-core, 2-keys, 1-core removal tool, and instructions. NOTE: If key number isn't specified, number will be at random. Core matches manufactured lock on veneer and laminate product but can be used with metal casegoods product.</p>	F23B	0.1 	0.1	\$ 22
<i>GSA — Above model receives Wood Casegoods Furniture discounting.</i>				
 <p>Master Key (one key) Will open all HON product with HON "One Key" interchangeable core removable locks. Available to authorized dealers only. Will open F23B, F23C and F24 locks numbered 101E-225E. Will open old HON style MB series locks.</p>	F22	0.1 	0.1	\$ 13
<i>GSA — Above model receives Vertical, Lateral & Shelf Filing discounting.</i>				




 <p>Chrome Core Removable Lock Kit for Vertical Files (Field Installable) Specify key number from 101E-225E. Includes: 1-lock with core, 2-keys and attaching linkage. NOTE: If key number isn't specified, number will be at random.</p>	instock F24	0.2 	0.2	\$ 31
<i>GSA — Above model receives Vertical, Lateral & Shelf Filing discounting.</i>				
  <p>Bulk Package — 6 F24 Lock Kits (Individually shrink wrapped) Bulk Package — 25 F24 Lock Kits (Individually shrink wrapped) Bulk Package — 50 F24 Lock Kits (Individually shrink wrapped) Bulk Package — 50 F24 Lock Kits (Components parts in bag) NOTE: Bulk Package key numbers are at random and cannot be specified.</p>	F246	1.2 	0.2	\$ 164
	F2425	6.3 	0.5	\$ 661
	F2450	12.5 	0.9	\$1240
	F2451	12.5 	0.9	\$1027
<i>GSA — Above models receive Vertical, Lateral & Shelf Filing discounting.</i>				












HOW TO ORDER CORE REMOVABLE LOCK KITS:


Specify: Model Number.X
Key Number
Examples: F23C.X121E
F23C.X (Key number not specified)
NOTE: Key orders without numbers specified will be keyed at random.
Numbers 101E-225E are available.

SAMPLE ORDER:		
Quantity	Model	Key Code
6	F23C.	X121E
4	F23B.	X121E
5	F24.	X121E
1	F22.	X
2	F24.	X

  <p>Omit Lock Core (Deduct \$14) NOTES: The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field. For specific models, look for the Omit Lock Core icon throughout this publication.</p>	F23C	0.1 	0.1	\$ 23
<i>GSA — Above models receive Vertical, Lateral & Shelf Filing discounting.</i>				

instock See page 1.
 Shippable by small-package carrier.

	Description	Model	Ship Weight	Cube	List
CPU Holders   Black only	▶ Black Finish <ul style="list-style-type: none"> Vertically mounts to underside of worksurface at end panel. Holds tower computers or desktop computers in vertical position. Supports up to 85 lbs. Height adjustable from 15" to 24" below worksurface. Width adjustable to accept units from 3" to 9"W. 16 gauge steel construction. Model CPU2 holds units in fixed position. Model CPU3 features retractable suspension system. Can be used with 61000 or 66000 Series training tables, as well as Education Workstations, Simplicity and Initiate Systems. 	CPU2	7.5 	0.5	\$ 132
			CPU3	12 	0.5
<i>GSA — Above models receive Initiate Panel System discounting.</i>					
Task Light  Black only	▶ Freestanding <ul style="list-style-type: none"> 13 watt compact fluorescent bulb. Detachable plug in ballast. Four adjustment points. 27" of horizontal reach. Available in Black only. Color does not need to be specified. 	H8284I	13 	1.4	\$ 363
<i>GSA — Above model receives Initiate Panel System discounting.</i>					
Field Installable Grommet  Black only SIN 711-8	▶ Black Finish <ul style="list-style-type: none"> Intended for use in tops and end panels to route/hide cords and in modesty panels to facilitate reaching wall electrical outlets. Grommet is field installable. Requires a 2½" diameter hole saw and drill for installation (not included). Grommet shape is round. Includes grommet cap and sleeve. Grommet cap measures 3" diameter and includes a ¾" diameter cord access hole. Grommet sleeve measures 2½" O.D. x ¾" thick. Includes instructions to locate grommet position for desks, credenzas, returns and bridges. 	FLDGRMT	0.1 	0.01	\$ 22
<i>GSA — Above model receives Wood Casegoods Furniture discounting.</i>					
NOTES: Grommet is specifically designed for use with the following HON Wood Laminate Desk Series only: Park Avenue Collection® Laminate, Valido, 10700, 10600 and 10500 Series. The grommet is not designed for use with the following HON Series: Park Avenue Collection® Veneer, 92000, 94000, Perpetual®, 38000, Mentor™, Metro Classic or 34000.					

 Shippable by small-package carrier.



- ▶ **NEW!** Choice/Metallic and Custom paint option on Metal Center drawers.
- ▶ See specifying information below for Choice/Metallic paint and pages 9 and 337 for Custom paint ordering instructions.




- ▶ Veneer center drawer designed for use with Park Avenue Collection and 92000 Series.





- ▶ Laminate center drawers designed for use with Park Avenue Collection® Laminate, Valido/11500, 10700, 10600, 10500 and 11600 Series.

- ▶ All metal center drawers feature pencil trays with three compartments for storage.


- ▶ All metal center drawers feature core removable locks for greater personal and departmental security.

	Description	Model	Ship Weight	Cube	List
 <p>(Angled front)</p>	Veneer Center Drawer 24 ⁵ / ₈ "W x 18 ¹ / ₄ "D x 2 ⁵ / ₈ "H Specify finish.	90250 	10	1.2	\$ 247
	<ul style="list-style-type: none"> • Fits desks, credenzas, bridges and peninsulas. • Includes pencil tray. • Inside drawer dimension: 20⁵/₈"W x 16"D x 1¹/₂"H. 				

 <p>(Angled front)</p>	22"W x 15 ³ / ₈ "D x 2 ¹ / ₂ "H Specify laminate.	1522 	11	1.1	\$ 136
	26"W x 15 ³ / ₈ "D x 2 ¹ / ₂ "H Specify laminate.	1526 	12	1.2	\$ 148
	<ul style="list-style-type: none"> • Ball bearing slide suspension. • 12" drawer extension (3/4) • Inside drawer dimension for 1522: 18⁷/₈"W x 15¹/₂"D x 1¹/₂"H. • Inside drawer dimension for 1526: 22⁷/₈"W x 15¹/₂"D x 1¹/₂"H. • Minimum clearance for mounting 1522: 22³/₄"W x 18¹/₂"D (72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal Desks, 72"W x 36"D, 66"W x 30"D Single Pedestal Desks, Bullet and P-Shaped Peninsulas, 72"W x 24"D, 66"W x 24"D, 60"W x 24"D Credenza w/Kneespace, 72"W x 24"D, 66"W x 24"D Single Pedestal Credenzas, 48"W x 24"D, 42"W x 24"D Returns) • Minimum clearance for mounting 1526: 27¹/₄"W x 18¹/₂"D (72"W x 36"D, 66"W x 30"D, 60"W x 30"D Double Pedestal Desks, 72"W x 24"D, 66"W x 24"D, 60"W x 24"D Credenza w/Kneespace, 48"W x 24"D Return) 				

Description	Model	Ship Weight	Cube	List by Paint Grade		
				Core	Choice/Metallics "2"	Custom "3"
Metal Center Drawer w/Lock 19"W x 14 ³ / ₄ "D x 3"H Specify paint color.	D2	9 	1.0	\$ 158	\$ 165	\$ 172
<ul style="list-style-type: none"> • Ball bearing slide suspension. • 12" drawer extension (3/4). • Inside drawer dimension: 19"W x 13"D x 2³/₈"H. • Minimum clearance for mounting: 21³/₄"W x 19¹/₄"D. • Core removable lock. 						
	 Refer to page 463					
24 ³ / ₄ "W x 14 ³ / ₄ "D x 3"H Specify paint color.	D8	12 	1.2	\$ 144	\$ 152	\$ 159
<ul style="list-style-type: none"> • Ball bearing slide suspension. • 12" drawer extension (3/4). • Inside drawer dimension : 24¹/₂"W x 13"D x 2³/₈"H. • Minimum clearance for mounting: 27³/₈"W x 19¹/₄"D. • Core removable lock. 						
	 Refer to page 463					

GSA — Entire page receives Simplicity II Panel System discounting.


 Shippable by small-package carrier.

SPECIFY: Model.Finish
Model/Paint Grade "2". Paint

EXAMPLES: 90250.H
D22.T1

- ▶ Exceeds ANSI/BIFMA standards.
- ▶ Black only finish.

index accessories tables storage & files seating systems desking

Articulating Keyboard Platforms	Description	Model	Ship Weight	Cube	List
 <p>Black only</p>	<ul style="list-style-type: none"> • Samba® articulating/swiveling keyboard platform, 20"W x 10½"D. • 30° platform tilt feature with 360° rotation. • 12" platform height adjustment allows user to use keyboard sitting or standing. (4½" below to 7½" above worksurface level). • Simple, one-touch paddle adjusts keyboard height and tilt. • Glide suspension standard with extended arm (19" of in/out adjustment). 24" track length. • 18"W gel palm rest on platform with black lycra cover allows left or right-hand mousing. • 10" diameter mouse platform tilts/swivels above keyboard (LH or RH field installed). • Two small pear-shaped cutouts provide cord management on mouse pad. • "Comfort Shield" on underside of keyboard mechanism provides a smooth, snag-free surface preventing interference with knees or clothing. • Required mounting clearance: keyboard width (21" min.) x 24"D. (Not to be used with 24"D credenza or return) • Long travel provides solution for corner workstations. 	850500	17 S	1.5	\$ 455











GSA — Above model receives Initiate Panel System discounting.

S Shippable by small-package carrier.


SPECIFY: Model.Color

EXAMPLE: 850500.P

- ▶ Exceeds ANSI/BIFMA standards.
- ▶ Black only finish.

	Description	Model	Ship Weight	Cube	List
 Black only	<ul style="list-style-type: none"> Fully articulating and swiveling platform style, 21"W x 10½"D with recessed surface. 30° platform tilt feature (15° positive and 15° negative tilt), with 360° rotation. Maximum platform height adjustment: 6" — 1" above and 5" below worksurface. Fully retractable, steel ball bearing slide suspension. Keyboard locks into position. Padded palm rest. Sliding 9"W x 9"D mouse tray is LH or RH. Required mounting clearance: keyboard width (21" min.) x 17"D. 12" travel appropriate for straight worksurface/bridge applications. 	IN STOCK 840000	25 	0.6	\$ 363
 Black only	<ul style="list-style-type: none"> Maestro keyboard – glide track. One paddle for height control via spring brake. Standard with arm, platform, mouse and wrist rest. Glide track. Tilt angle adjusts via latch. 25° platform tilt feature (10° positive and 15° negative tilt), with 360° rotation. Height adjustment 6" below worksurface, 1" above. Tray size: 20¾" x 11". Mouse pad size: 9¼" x 8½"; Left or Right Hand placement option. Overall length: 23½". Required mounting clearance: keyboard width (21" min.) x 17"D. 12¼" travel appropriate for straight worksurface/bridge applications. 	IN STOCK HKB900	20 	1.2	\$ 414
 Black only	<ul style="list-style-type: none"> Bravo keyboard – ball bearing. No knobs or levers to adjust height — simply lift, position and release. Standard with arm, platform, mouse and wrist rest. Ball bearing track. 25° platform tilt feature (10° positive and 15° negative tilt), with 360° rotation. Height adjustment 8.1" below worksurface, 0.6" below. Tray size: 20¾" x 11". Mouse pad size: 9¼" x 8½"; Left or Right Hand placement option. Required mounting clearance: keyboard width (21" min.) x 21¾"D. Not recommended for use on units with a depth of 24" or less. 17" travel appropriate for corner worksurface applications deeper than 24". 	HKB800	23 	0.6	\$ 390
 Black only	<ul style="list-style-type: none"> Bravo keyboard – glide track. No knobs or levers to adjust height — simply lift, position and release. Standard with arm, platform, mouse and wrist rest. 25° platform tilt feature (10° positive and 15° negative tilt), with 360° rotation. Height adjustment 8.1" below worksurface, 0.6" below. Tray size: 20¾" x 11". Mouse pad size: 9¼" x 8½"; Left or Right Hand placement option. Required mounting clearance: keyboard width (21" min.) x 17"D. 12¼" travel appropriate for straight worksurface/bridge applications. 	HKB700	18 	0.6	\$ 333
 Black only	<ul style="list-style-type: none"> Keyboard with mouse. Knob adjustment. Clamp tray for mouse. 30° platform tilt feature (15° positive and 15° negative tilt), with 360° rotation. Height adjustment 6" below worksurface, 1" above. Tray size: 20¾" x 11". Mouse pad size: 8" x 8". Required mounting clearance: keyboard width (21" min.) x 17"D. 12" travel appropriate for straight worksurface/bridge applications. 	HKB200	15 	0.7	\$ 221

GSA — Entire page receives Initiate Panel System discounting.

IN STOCK See page 1.
 Shippable by small-package carrier.

SPECIFY: Model.Color




EXAMPLE: 840000.P



Optional Accessories — Keyboard Platforms

GSA SIN 711-1, 711-2, 711-11



- ▶ **NEW!** Choice/Metallic and Custom paint options on Metal Keyboard Trays.
- ▶ See specifying information below for Choice/Metallic paint and pages 9 and 337 for Custom paint ordering instructions.

Description	Model	Ship Weight	Cube	List
Veneer Keyboard Platform  Veneer Tray dimensions, 21½"W x 10¼"D x 1⅝" Thick <ul style="list-style-type: none"> • Seven height adjustments from 1" to 2¾" below bottom of worksurface. • Ball bearing slide; finger pull under platform. • Minimum clearance for mounting: 24½"W x 15⅞"D. • Specify finish. 	90150	11 <input type="checkbox"/>	0.5	\$ 228
<i>GSA — Above model receives Simplicity II Panel System discounting.</i>				
Laminate Keyboard Platform  Laminate Tray dimensions, 21½"W x 10"D x 1⅝" Thick <ul style="list-style-type: none"> • Minimum clearance for mounting: 22⅞"W x 17"D. • Surface can be positioned 2", 2½", 3" or 3½" below bottom of worksurface. • Will not fit on a 37" x 24" Corner worksurface. • Specify laminate. 	<input type="checkbox"/> stock 4022	10 <input type="checkbox"/>	0.6	\$ 154
<i>GSA — Above model receives Initiate Panel System discounting.</i>				
Laminate Keyboard Platform with Extended Tray  Laminate Tray dimensions 30"W x 10"D x 1⅝" Thick <ul style="list-style-type: none"> • Minimum clearance for mounting: 32½"W x 17"D • Surface can be positioned 2", 2½", 3" or 3½" below bottom of worksurface. • Will not fit on a 37" x 24" Corner worksurface. • Ball bearing slide; slide and brackets are Black. 	E4022	12 <input type="checkbox"/>	0.7	\$ 208
<i>GSA — Above model receives Initiate Panel System discounting.</i>				




Description	Model	Ship Weight	Cube	List by Paint Grade		
				Core	Choice/Metallics "2"	Custom "3"
Metal Keyboard Platforms  30"W Metal Keyboard and Mouse Tray. <ul style="list-style-type: none"> • Designed to hold keyboards and allow room for mouse pads. • Tray dimensions, 30"W x 10"D. • Minimum clearance for mounting: 32½"W x 15"D. • Surface is positioned 3" below bottom of worksurface. • Non-articulating, only movement is front-to-back. Does not tilt or swivel. • Specify paint color. 	4028	11 <input type="checkbox"/>	1.5	\$ 103	\$ 111	\$ 119
 24"W Metal Keyboard Tray. <ul style="list-style-type: none"> • Designed to hold ONLY keyboards. • Tray dimensions, 24"W x 10"D. • Minimum clearance for mounting: 26½"W x 15"D. • Surface is positioned 3" below bottom of worksurface. • Non-articulating, only movement is front-to-back. Does not tilt or swivel. • Specify paint color. 	4029	11 <input type="checkbox"/>	1.5	\$ 92	\$ 100	\$ 108
<i>GSA — Above models receive Initiate Panel System discounting.</i>						

stock See page 1.
 Shippable by small-package carrier.

SPECIFY: Model.Finish
 Model.Laminate
 Model/Paint Grade "2".Paint

EXAMPLES: 90150.H
 4022.H
 40282.T1

- ▶ **NEW!** Core and Choice/Metallic paint options.
- ▶ Corner sleeve connects intersecting worksurfaces to create "corner desk" work areas.
- ▶ Corner sleeve has pre-drilled holes to allow attachment of articulating keyboard platforms shown on pages 466-467.
- ▶ Specify paint color.
- ▶ Meets or exceeds ANSI/BIFMA and ISTA performance standards.

Description	Model	Ship Weight	Cube	List by Paint Grade	
				Core	Choice/Metallics "2"
<p>Metal Corner Sleeve</p>  <p>Edge Detail Model 51204</p> <ul style="list-style-type: none"> Fits 1½" thick square edge detail. Smaller design is more aesthetically pleasing. 22½"W leading edge x 9"D. 	51204	10 S	1.5	\$ 89	\$ 96
 <p>Edge Detail Model 51205</p> <ul style="list-style-type: none"> Fits 1½" thick full bullnose edge detail. (66000 Series The StationMaster® and Simplicity® II) 22½"W leading edge x 18"D. 	51205	10 S	1.5	\$ 89	\$ 96
 <p>Edge Detail Model 51206</p> <ul style="list-style-type: none"> Fits 1½" thick square edge detail. 22½"W leading edge x 18"D. 	51206	10 S	1.5	\$ 89	\$ 96

GSA — Entire page receives Simplicity II Panel System discounting.

deskings
systems
seating
storage & files
tables
education

accessories

index

S Shippable by small-package carrier.

**SPECIFY: Model.Paint
Model/Paint Grade "2".Paint**



**EXAMPLE: 51204.P
512042.T1**

Touch-up Paint

GSA NOT ON CONTRACT



- ▶ Touch-up kit allows minor repairs in the field.
- ▶ Kit includes markers for small touch-ups to metal casegoods products.
- ▶ Shippable by small package carrier, ground only.
- ▶ **Model PKT001 includes:**
 - 1 Marker each of Black (P), Carob (T8), Charcoal (S), Greige (T5), Light Gray (Q), Muslin (T3), Putty (L), and Taupe (E), plus Tan (V) **D D**
- ▶ **Model PMARKER1 includes:**
 - 1 Marker (color must be specified when ordering).

	Description	Model	Ship Weight	Cube	List
	Touch-up Kit, includes all 8 Core paint colors, plus Tan (V) D D .	PKT001	0.3 S	0.1	\$ 98
	1 Touch-up Marker Available in: Black (P), Carob (T8), Charcoal (S), Greige (T5), Light Gray (Q), Muslin (T3), Putty (L), and Taupe (E) Tan (V) D D Metallic colors available only in touch-up paint, not markers.	PMARKER1	0.1 S	0.1	\$ 23

GSA — Above models receive Filing Furniture discounting.

D D Discontinued 12/26/2009.
S Shippable by small-package carrier.

SPECIFY: **Model**
Model.Color

EXAMPLES: **PKT001**
PMARKER1.P

desking

systems

seating

storage & files

tables

education

accessories

index