

COORDINATE™



Coordinate™ Base shown with Solve® Task Chairs and Accelerate® Panels.

TABLES

COORDINATE™

Sit-to-stand working is easy when you have table with the power to move with you. The human body wasn't meant to sit for hours on end; and as your body's needs change throughout the day, these height adjustable tables change with you — the height range is different from the 2 stage and 3 stage bases.

Warranty is 5 years.




FEATURES

- The standard memory control, with digital display, quickly and easily adjusts to one of four preset heights.
- Telescoping table base can accommodate work surfaces from 48"–72" wide on the 2-leg model, and from 24"–30" deep.
- Available in 2- and 3-leg base options to accommodate your layout preferences.
- Nickel finish matches any neutral HON paint or finish color.



COORDINATE™ Height Adjustable Bases

TABLES



Base shown with work surface attached.

DESCRIPTION

Coordinate™ Height Adjustable Base – 2 Stage
24”D Feet and Worksurface Brackets

MODEL SHIP WEIGHT CUBE LIST PRICE


HHAB2S2L 63 2.4 \$1006

NOTES: Base is a dual motor 2-stage design with standard anti-collision. Legs raise from 25⁵/₈” to 45¹/₄”. Base telescopes to accommodate any rectangular work surface between 24”D x 48”W and 30”D x 72”W. Supports weight capacity of 250 lbs. (excluding work surface weight). See page 682 for Voi® Worksurfaces. See page 682 for Systems Worksurfaces. For Height Adjustable Base Accessories see page 681. Foundation™, Systems, Voi®, 10500, and Preside® all have work surfaces within this range. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. **HON 5-Year Limited Warranty.**

⚠ When attaching a Keyboard Tray, remember to also specify a Keyboard Spacer Kit (HKBS).

⚠ Telescoping horizontal frame will extend just over 2” from underside of the work surface.

SPECIFYING EXAMPLE: HHAB2S2L.P8L




Base shown with work surface attached.

Coordinate™ Height Adjustable Base – 3 Stage
24”D Feet and Worksurface Brackets

HHAB3S2L 67 2.4 \$1120

NOTES: Base is a dual motor 3-stage design with standard anti-collision. Legs raise from 21⁵/₈” to 47³/₄”. Base telescopes to accommodate any rectangular work surface between 24”D x 48”W and 30”D x 72”W. Supports weight capacity of 250 lbs. (excluding work surface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have work surfaces within this range. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. **HON 5-Year Limited Warranty.**

⚠ Telescoping horizontal frame will extend just over 2” from underside of the work surface.



Base shown with work surface attached.

Coordinate™ 3-Leg Height Adjustable Base – 3 Stage
24”D Feet and Worksurface Brackets

HHAB3S3L 97 3.6 \$1895

NOTES: Base is a three motor 3-stage design with standard anti-collision. Legs raise from 21⁵/₈” to 47³/₄”. Base telescopes to accommodate work surfaces between 24”D x 48”W¹ x 60”W² and 30”D x 72”W¹ x 72”W². Supports weight capacity of 330 lbs. (excluding work surface weight). Can be used with 48” 120 degree and work surface models. Comes standard with one-touch, four memory controller with digital display; no specification needed, available in black finish only. **HON 5-Year Limited Warranty.**

⚠ When using two work surfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 560.

⚠ Telescoping horizontal frame will extend just over 2” from underside of the work surface.

NOTES:

⚠ Coordinate™ Height Adjustable Bases not compatible with 36”D rectangular work surfaces.

HOW TO SPECIFY


<p>Select Model Number</p> <p>HHAB2S2L .</p>	<p>Select Finish</p> <p>P71 Black P8L Nickel PDB White</p> <p>P8L</p>
--	---

COORDINATE™ Height Adjustable Bases

GSA SIN 711-11



Icon Legend on page 21



Base shown with worksurface attached.

DESCRIPTION

Coordinate™ Height Adjustable Base – 3 Stage
24”D Feet and Worksurface Brackets

MODEL

HHAB3S2L-G

SHIP WEIGHT

67

CUBE


2.4

LIST PRICE

\$1153

NOTES: Base is a dual motor 3-stage design with standard anti-collision. Legs raise from 21⁵/₈” to 47³/₄”. Base telescopes to accommodate any rectangular worksurface between 24”D x 48”W and 30”D x 72”W. Supports weight capacity of 250 lbs. (excluding worksurface weight). Foundation™, Systems, Voi®, 10500, and Preside® all have worksurfaces within this range.

⚠ Telescoping horizontal frame will extend just over 2” from underside of the worksurface.



Base shown with worksurface attached.

Coordinate™ 3-Leg Height Adjustable Base – 3 Stage
24”D Feet and Worksurface Brackets

HHAB3S3L-G

97

3.6

\$1951

NOTES: Base is a three motor 3-stage design with standard anti-collision. Legs raise from 21⁵/₈” to 47³/₄”. Base telescopes to accommodate worksurfaces between 24”D x 48”W¹ x 60”W² and 30”D x 72”W¹ x 72”W². Supports weight capacity of 330 lbs. (excluding worksurface weight). Can be used with 48” 120 degree and worksurface models.

⚠ When using two worksurfaces, a flat bracket is required. Bracket purchased separately — HHN831124, HHN831130 — see page 560.

⚠ Telescoping horizontal frame will extend just over 2” from underside of the worksurface.


NOTES:

⚠ Coordinate™ Height Adjustable Bases not compatible with 36”D rectangular worksurfaces.

TABLES

HOW TO SPECIFY

<p>Select Model Number</p> <p>HHAB3S2L-G .</p>	<p>Select Finish</p> <p>P71 Black P8L Nickel PDB White</p> <p>P8L</p>
--	---



SIN 711-2



DESCRIPTION

Under Worksurface Power Module – 4 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in cable management troughs. See page 711.
- 4 outlets on side create easy access.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks. For additional information see page 813.

! Available in black finish only, no specification needed.

MODEL

HPWRMOD2

SHIP WEIGHT


1.5

CUBE

0.2

LIST PRICE

\$393



SIN 71-302



3' Round Power Grommet – 2 Outlets, 10' Cord

- Includes 10' cord with three-prong plug.
- Fits in 3" round grommet holes on the following product lines: Coordinate, Huddle, Motivate, all laminate and veneer casegoods series, and Systems Worksurfaces.
- Two grounded AC power outlets.
- Field installed with Plug-and-play ease.

NOTES: Power Modules will also work with standing-height applications for 10500 Series™ and Voi® desks.

! Available in black finish only, no specification needed.

HGRMTAC2

1.5

0.2

\$145



SIN 71-302



Power/USB Hub, 3" Grommet Mount

- One grounded AC power outlet with 2 USB ports.
- UL Listed.

NOTES: For additional information see page 812.

! Available in black only (no color designation so use .X – Specify: HGRMTUSB2.X).

HGRMTUSB2

1.3 Ⓢ

0.2

\$224



Wire Managers for Height Adjustable

Trough to Floor

! Colors available on Wire Manager Trough to Floor are PR6 and WHIT.


HMPHATFWML

2.0

0.3

\$159

OPEN MARKET



Model HPWRMOD3WC shown

SIN 711-2



Power Modules


- 3 Receptacles with Worksurface Clamp
- 3 Receptacles with Under-Worksurface Mounting Bracket
- 2 Receptacles 2 USB with Worksurface Clamp
- 2 Receptacles 2 USB with Under-Worksurface Mounting Bracket

- 6' power cord with standard three-prong plug.
- Under-worksurface mounting bracket models work with any top that has a 5" x 5" square clearance.
- Worksurface clamp models work on any top with a 4" overhang.
- UL Listed.

NOTES: For additional information see page 813.

! Color finish coordinates with HON's Charcoal or White. Specify STRM for Storm or SNW for Snow when ordering. Example: HPWRMOD3WC.STRM.

- HPWRMOD3WC** 2.3 Ⓢ 0.2 **\$307**
- HPWRMOD3UWM** 2.3 Ⓢ 0.2 **\$307**
- HPWRMOD2WC** 2.3 Ⓢ 0.2 **\$491**
- HPWRMOD2UWM** 2.3 Ⓢ 0.2 **\$491**



Model HPWRMOD2UWM shown

SIN 711-2



Power & Data Center

- 2 Receptacles 2 Data Accessory
- Standard with two receptacles and openings for two data ports.
- 6' power cord with standard three-prong plug.
- Fits on any worksurface with a 4" overhang.
- UL Listed.

NOTES: For additional information see page 813.

! Color finish coordinates with HON's Loft. Specify LOFT when ordering. Example: HCOMDOME2.LOFT.

HCOMDOME2

2.5 Ⓢ


0.2

\$293

HOW TO SPECIFY

Select Model Number

H P W R M O D 2




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LAMINATE GRADE	
				L1	L2
Systems Rectangle Worksurfaces for Height Adjustable Bases					
46¾"W x 23"D	HHAW2448P	58	3.3	\$429	\$444
52"W x 23"D	HHAW2454P	64	4.0	\$451	\$471
58"W x 23"D	HHAW2460P	70	4.0	\$499	\$519
64"W x 23"D	HHAW2466P	86	4.8	\$535	\$555
70"W x 23"D	HHAW2472P	89	4.8	\$552	\$572

❗ Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.

❗ Available in all standard systems' laminate and edgebanding options. Only offered with grommets.

Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW2448P.A5.K.T1




DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LAMINATE GRADE	
				L1	L2
Systems Rectangle Worksurfaces for Height Adjustable Bases					
46¾"W x 29"D	HHAW3048P	68	4.0	\$458	\$473
52"W x 29"D	HHAW3054P	80	5.0	\$491	\$511
58"W x 29"D	HHAW3060P	101	5.0	\$544	\$564
64"W x 29"D	HHAW3066P	105	6.0	\$578	\$598
70"W x 29"D	HHAW3072P	105	6.0	\$616	\$636

❗ Must be used as worksurfaces on Coordinate™ Height Adjustable Bases within Panel Systems, as these are 1" shorter in width on each side to provide clearance between panels and other worksurfaces.

❗ Available in all standard systems' laminate and edgebanding options. Only offered with grommets.

Specify Model.LaminateColor.EdgeColor.GrommetColor SPECIFYING EXAMPLE: HHAW3048P.A5.K.T1



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE BY LAMINATE GRADE	
				L1	L2
Voi® Rectangle Worksurfaces for Height Adjustable Bases					
48"W x 24"D	HLSLR2448	61	3.4	\$294	\$309
54"W x 24"D	HLSLR2454	68	4.2	\$316	\$336
60"W x 24"D	HLSLR2460	75	4.2	\$345	\$365
66"W x 24"D	HLSLR2466	82	5.0	\$373	\$393
72"W x 24"D	HLSLR2472	89	5.0	\$386	\$406
48"W x 30"D	HLSLR3048	75	4.2	\$316	\$331
54"W x 30"D	HLSLR3054	84	5.1	\$353	\$373
60"W x 30"D	HLSLR3060	92	5.1	\$394	\$414
66"W x 30"D	HLSLR3066	101	6.1	\$424	\$444
72"W x 30"D	HLSLR3072	110	6.1	\$460	\$480

❗ For use with Coordinate™ Height Adjustable Bases only in Freestanding Applications, which are applications where the tables/desks are not attached or adjacent to another unit, table/desk or systems panel. The widths are true to stated dimensions. If used with Panel Systems or other than in Freestanding Applications, worksurfaces will not provide proper clearance between panels or other worksurfaces, and may cause injury or worksurface damage (not covered by warranty).

❗ Coordinate™ Height Adjustable Bases not compatible with 36"D rectangular worksurfaces.

NOTES:

- Systems Rectangle Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 2" shorter in width and 1" shorter in depth to provide clearance between panels and other worksurfaces.

HOW TO SPECIFY

<p>Select Model Number</p> <p>HHAW2448P</p> <p>HLSLR2448</p>	<p>Select Laminate</p> <p>See page 664</p> <p>A5</p> <p>NN</p>	<p>Select Edge Color</p> <p>See page 664</p> <p>Specify for Systems Worksurfaces only</p> <p>K</p>	<p>Select Grommet Color</p> <p>See page 664</p> <p>Specify for Systems Worksurfaces only</p> <p>T1</p>	<p>Select Grommet Option and Color</p> <p>Specify for Voi® Worksurfaces only</p> <p>X No Grommet</p> <p>G Grommet</p> <p>If choosing the grommet option</p> <p>Select Grommet Color</p> <p>P Black Grommet</p> <p>WHIT Brilliant White Grommet</p> <p>T5 Greige Grommet</p> <p>T1 Platinum Grommet</p> <p>GT5</p>
---	---	---	---	--



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1 LIST PRICE	L2 LIST PRICE	
	Corner-Cove Worksurfaces for Height Adjustable Bases, Left Hand						
	58" A x 34" B x 23" C x 23" D	HHAWV603624LP	67	6.1	\$606	\$631	
	70" A x 34" B x 23" C x 23" D	HHAWV723624LP	75	6.8	\$665	\$695	
	58" A x 46" B x 23" C x 23" D	HHAWV604824LP	85	7.4	\$665	\$695	
	58" A x 46" B x 29" C x 29" D	HHAWV604830LP	99	7.4	\$712	\$742	
	70" A x 46" B x 23" C x 23" D	HHAWV724824LP	105	8.8	\$830	\$865	
	70" A x 46" B x 29" C x 29" D	HHAWV724830LP	112	8.8	\$880	\$915	
	Corner-Cove Worksurfaces for Height Adjustable Bases, Right Hand						
		58" A x 34" B x 23" C x 23" D	HHAWV603624RP	67	6.1	\$606	\$631
70" A x 34" B x 23" C x 23" D		HHAWV723624RP	75	6.8	\$665	\$695	
58" A x 46" B x 23" C x 23" D		HHAWV604824RP	85	7.4	\$665	\$695	
58" A x 46" B x 29" C x 29" D		HHAWV604830RP	99	7.4	\$712	\$742	
70" A x 46" B x 23" C x 23" D		HHAWV724824RP	105	8.8	\$830	\$865	
70" A x 46" B x 29" C x 29" D		HHAWV724830RP	112	8.8	\$880	\$915	

TABLES

NOTES:


- Corner-Cove Worksurfaces for Height Adjustable Bases designed for use in panel systems. Worksurface is 1" shorter in width and 1" shorter in depth on side of corner to provide clearance between panels and other worksurfaces.
- Use the 3-Leg Coordinate™ Base when specifying Coordinate™ Corner-Cove Surfaces.

HOW TO SPECIFY

Select Model Number H H A W V 6 0 3 6 2 4 L P .	Select Laminate See page 664 A 5 .	Select Edge Color See page 664 K .	Select Grommet Color See page 664 T 1
---	---	---	--

FOUNDATION™ Worksurfaces

OPEN MARKET



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Worksurfaces for Height Adjustable Bases				
48"W x 24"D	HLMW4824	61 Ⓢ	3.4	\$136
60"W x 24"D	HLMW6024	75 Ⓢ	4.2	\$159
66"W x 24"D	HLMW6624	82 Ⓢ	5.0	\$172
72"W x 24"D	HLMW7224	89	5.0	\$179
48"W x 30"D	HLMW4830	75 Ⓢ	4.2	\$179
60"W x 30"D	HLMW6030	92	5.1	\$224
66"W x 30"D	HLMW6630	101	6.1	\$241
72"W x 30"D	HLMW7230	110	6.1	\$260

NOTES:

- Add height adjustability to the Foundation™ desk line by using these worksurfaces with the height adjustable bases.
- Select from Shaker Cherry, Mahogany or Pinnacle laminates to match Foundation™ desks.
- Also compatible with Coordinate™ Height Adjustable Base on page 679.
- 1" Thick worksurfaces.
- 3" Round Grommets included.
- **HON 5-Year Limited Warranty.**

TABLES


HOW TO SPECIFY

<p>Select Model Number</p>	<p>Select Laminate</p> <p>F Shaker Cherry N Mahogany PINC Pinnacle</p>
<p>H L M W 4 8 2 4 .</p>	<p>F</p>



SYSTEMS WORKSURFACES

120 Degree Corner



DESCRIPTION

Abound® and Accelerate® 120 Degree Corner Worksurfaces with Curved User Edge

42"W x 24"D
48"W x 24"D

42"W x 30"D
48"W x 30"D

- One small worksurface bracket standard with each worksurface.

❗ Corner worksurfaces must match exactly the panel behind them, i.e.: a 42" panel must be used on the back two sides of model HBWCT4224P.

MODEL





SHIP WEIGHT

CUBE

L1 LIST PRICE

L2 LIST PRICE

HBWCT4224P	96	9.2	\$833	\$848
HBWCT4824P	107	9.2	\$965	\$980
HBWCT4230P	102	11.4	\$1094	\$1109
HBWCT4830P	112	11.4	\$1164	\$1179



NOTES:

- Worksurfaces are constructed of laminate on 1/8" solid core high-performance particleboard.
- Add suffix "N" to Model Number for worksurfaces with no grommets. No upcharge.
- Cannot use keyboard tray or pedestal under 120 degree corner worksurface.
- Refer to Worksurface Supports, pages 558-562.
- If used at an end of run, full end panel needs to be ordered — see page 558.

HOW TO SPECIFY

<p>Select Model Number</p> <p>No Grommet option: Add "N" suffix (no upcharge)</p> <p>HBWCT4224P</p> <p>HBWCT4224PN</p>	<p>Select Laminate</p> <p>See page 417</p> <p>AS</p> <p>AS</p>	<p>Select Edge Color</p> <p>See page 417</p> <p>K</p> <p>K</p>	<p>Select Grommet Color</p> <p>See page 417</p> <p>T1</p>
---	---	---	--


TABLES

COORDINATE™ Shared Components

GSA SIN 711-2



Icon Legend on page 21



DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	L1	L2
				LIST PRICE	UPCHARGE
Laminate Floating Modesty Panel					
30"W x 14"H	HLSL3014L	10	0.8	\$165	\$10
36"W x 14"H	HLSL3614L	12	0.8	\$176	\$10
42"W x 14"H	HLSL4214L	14	0.8	\$189	\$10
48"W x 14"H	HLSL4814L	16	1.1	\$208	\$12
54"W x 14"H	HLSL5414L	18	1.1	\$227	\$12
60"W x 14"H	HLSL6014L	20	1.1	\$245	\$12

NOTES: The attachment bracket and modesty panel are packaged separately.
Specify: Model.Laminate.Paint

SPECIFYING EXAMPLE: HLSL3014L.N.P (Black is the only paint option for this model)

- ! When specifying the 54"W or 60"W Laminate Floating Modesty Panel, it is not necessary to specify an external channel.
- ! 30"W and 36"W screens attach with L-brackets, not the external channel.

DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
Mixed Material Floating Modesty Panel				
30"W x 14"H	HLSL3014MM	8	2.0	\$662
36"W x 14"H	HLSL3614MM	8	2.0	\$711
42"W x 14"H	HLSL4214MM	9	2.3	\$795
48"W x 14"H	HLSL4814MM	11	2.6	\$880
54"W x 14"H	HLSL5414MM	13	3.3	\$955
60"W x 14"H	HLSL6014MM	13	3.3	\$1091

NOTES: The attachment bracket and modesty panel are packaged separately.
Specify: Model.Mixed Material.Paint

SPECIFYING EXAMPLE: HLSL3014MM.FT01.P (Frosted Translucent mixed material and Black paint are the only options for this model)

- ! When specifying the 54"W or 60"W Mixed Material Floating Modesty Panel, it is not necessary to specify an external channel.

FLOATING MODESTY PANELS – MODEL SELECTION GUIDE				
Rectangle Worksurface Width				
72 in	66 in	60 in	48 in	42 in
HLSL6014	HLSL5414	HLSL4814	HLSL3614	HLSL3014






NOTES:

- When using a floating modesty panel under the worksurface, the depth clearance for center drawers and keyboard platforms decreases by 8".

HOW TO SPECIFY

<p>Select Model Number</p> <p>HLSL3014MM</p>	<p>Select Mixed Material</p> <p>FT01 Frosted Translucent</p> <p>FT01</p>
---	--

COORDINATE™ Desktop Riser & Sit-to-Stand Devices

	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	<p>Portable Desktop Riser 31"D x 4½"-16½"H x 35"W</p> <p>NOTES: Available in Black (BLK) or White (WHT) finish. Desktop riser dimensions (without keyboard tray): 22"D x 4½"-16½"H x 35"W. Keyboard tray dimensions: 9"D x 30"W. Max loading capacity is 33 lbs for the desktop riser surface and 4 lbs for the keyboard tray. Easily transition from seated to standing positions throughout the workday. Sits atop an existing desk to create sit-to-stand functionality by raising the computer. Includes keyboard tray and surface for computer monitors. HON 5-Year Limited Warranty.</p> <p>ⓘ Not intended for use on mobile workstations.</p>	HBXRISER	54.0	4.1	\$619
	<p>Dual Monitor Arm with 2 USB Ports</p> <p>NOTES: Easy adjustment. Height adjusts to 17" tall. Monitor tilt and swivel capability. Enclosed cable management. Grommet or desktop mounting. Clean appearance. In some applications the Monitor Arms may extend 12 or more inches into the worksurface. For additional information see page 793. HON 5-Year Limited Warranty.</p> <p>ⓘ No specification needed.</p>	HBDMAUSB	41.9	2.6	\$441
	<p>Mounted Desktop Riser</p> <p>NOTES: Does not include a monitor arm and is suitable for laptops and/or monitors on their original stands.</p> <p>ⓘ No specification needed.</p>	HS1100	60.0 Ⓞ	3.2	\$664
	<p>Mounted Desktop Riser with Single Monitor Arm</p> <p>NOTES: Includes a monitor arm for a single monitor.</p> <p>ⓘ No specification needed.</p>	HS1101	62.0 Ⓞ	3.2	\$777
	<p>Mounted Desktop Riser with Dual Monitor Arm</p> <p>NOTES: Includes a monitor arm for dual monitors.</p> <p>ⓘ No specification needed.</p>	HS1102	63.0 Ⓞ	3.2	\$883

NOTES FOR HS1100, HS1101, HS1102:

- These products are designed to allow the user to transition from seating position to standing position throughout the workday.
- Gas-assist lever-operated mechanism with positive stop.
- Clamp mount compatible with worksurfaces depths of 20"-30". 20" is for systems only.
- Clamp requires 3.5" of clearance along back edge of worksurface.
- Black seamless worksurfaces.
- Silver powder coated metal components.
- Lowers below worksurface level on 24" and 30"D worksurfaces.
- All models contain a large primary worksurface and a smaller keyboard / mouse surface.
- Beveled edges for sleek appearance and comfort while typing.
- Monitor arms include height, width, and swivel adjustment.
- For additional information see page 803.


- Not for use under overhead storage, with flush mounted modesty panels, or worksurfaces thinner than 1".
- ⓘ Not recommended for use on mobile (castered) worksurfaces.

MOUNTING AND COMPATIBILITY FOR HS1100, HS1101, HS1102:

- This product is intended to be installed on commercial-grade worksurfaces in good condition.
- Compatible with freestanding worksurfaces 24"-30"D or panel-supported worksurfaces 24"-30"D.
- Not for use on mobile worksurfaces.


Clamp Mount

Use when 3.5" minimum overhang is available



Screw Mount






Use when no overhang is available. Worksurface must be minimum 1" thick.



HOW TO SPECIFY

<p>Select Model Number</p> <p>HBXRISER.</p>	<p>Select Finish</p> <p>BLK Black WHIT White</p> <p>BLK</p>
--	--



	DESCRIPTION	MODEL	SHIP WEIGHT	CUBE	LIST PRICE
	Rectangle Wobble Board — Anti-Fatigue Mat 18"D x 3"H x 22½"W ⓘ Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL981.T	HVL981	10.0 ⓘ	0.9	\$100
	Round Wobble Board — Anti-Fatigue Mat 18½"D x 2½"H x 18½"W ⓘ Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL982.T	HVL982	5.8 ⓘ	0.6	\$85
	Ergonomic Anti-Fatigue Mat 25"D x 2¾"H x 29⅞"W ⓘ Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBEAFM1	HBEAFM1	7.0	1.4	\$219
	Rectangle Anti-Fatigue Mat 20"D x ¾"H x 36"W ⓘ Available in Black ONLY. No specification needed. SPECIFYING EXAMPLE: HBAFM2036	HBAFM2036	5.4	0.4	\$100
	Footrest — Anti-Slip Cover 13¾"D x 5½"H x 16"W ⓘ Available in Black (T) finish ONLY. Recommended weight capacity not to exceed 250 pounds. HON 5-Year Limited Warranty. SPECIFYING EXAMPLE: HVL991.T	HVL991	7.0 ⓘ	0.9	\$82

HOW TO SPECIFY

Select Model Number H V L 9 8 1 .	Select Finish T Black
---	---------------------------------